



TURNBULL
MARINE

HYDRAULIC ASSEMBLIES

Baja Reel

- 11 In. Dia. x 4 In. Wide Stainless Steel Drum with Bronze Hub
- Turnbull Brass Valve Controls Speed and Forward/Reverse
- Non-Corrosive Aluminum Davit Rotates 90 Degrees (Locks Into Docking or Fishing Position)
- Char-Lynn Severe Service Hydraulic Motor, with Nickel Plated Shaft and Epoxy Coated Flange Seal Housing
- 11 Ga. Stainless Steel Frame
- All Stainless Steel Hardware

P/N 703-000	3 Cu.In./Rev. Motor
P/N 706-000	6 Cu.In./Rev. Motor
P/N 710-000	10 Cu.In./Rev. Motor



Turnbull Line Puller Assembly

- 11 In. Stainless Steel Sheave with Bronze Hub
- Adjustable UPX Stripper (Brass Available)
- Bronze Deck Mount Bracket
- Turnbull Brass Metering and Control Valve
- Char-Lynn Severe Service Hydraulic Motor, with Nickel Plated Shaft and Epoxy Coated Flange Seal Housing

P/N 103-000	3 Cu.In./Rev. Motor
P/N 106-000	6 Cu.In./Rev. Motor
P/N 110-000	10 Cu.In./Rev. Motor



Single-Spool Gurdy Assembly

- 9 In. Bronze Drum Holds 900 Ft. of 3/32 In. Line
- Bronze Davit or Deck Mount Bracket
- Turnbull Brass Metering and Control Valve
- Char-Lynn Severe Service Hydraulic Motor, with Nickel Plated Shaft and Epoxy Coated Flange Seal Housing

P/N 301-000	10 Cu.In./Rev. Motor
-------------	----------------------



Single-Spool Reel Assembly

- 11 In. Stainless Steel Drum Holds 2000 Ft. of 3/32 In. Line
- Bronze Davit Mount Bracket
- Turnbull Brass Metering and Control Valve
- Char-Lynn Severe Service Hydraulic Motor, with Nickel Plated Shaft and Epoxy Coated Flange Seal Housing

P/N 323-000 3 Cu.In/Rev. Motor

P/N 326-000 6 Cu.In/Rev. Motor



Turnbull Power Gypsy

- 4 In. Gypsy Head
- Bronze Davit or Deck Mount Bracket
- Turnbull Brass Metering and Control Valve
- Line Speed, 0-160 fpm
- Capstan Pull @ 1000 psi, 600 lbs
- Char-Lynn Severe Service Hydraulic Motor, with Nickel Plated Shaft and Epoxy Coated Flange Seal Housing

P/N 610-000 10 Cu.In./Rev. Motor



Hydraulic Pump/Clutch Assembly

- 7 GPM VTM42 Pump
- 115 Cu. In. Reservoir (1 Gal.)
- Electric Clutch 12V, 90 Ft - #
- Clutch Fits "A" or "B" Belt Cross Section
- Aluminum Alloy Adjustable Pump Mount Bracket

P/N 407-000 Pump/Clutch Assembly



Hydraulic Power-Pak

- VTM42 Pump with Tank
- Honda Gas Engine with 2:1 Gear Box/Clutch
- Aluminum Base with Carrying Frame
- All Brass Quick Couplers
- 5.5 hp, 6 GPM @ 1500 Psi

P/N 505-000 5.5 hp Power-Pak

